


Radar Monitor Unit









The main radar display of Hawk 200 designed lightweight and elegant with soft key, hard key and toggle switch for displaying video radar, target tracking, intercept, and maverick video.

RMU has already passed the airworthiness certification by IDAA (*Indonesian Defence Airworthiness Authority*) from Ministry of Defence of the Republic of Indonesia.

FEATURES:

1. Radar & Navigation Display

RMU displays radar, target tracking, intercept, altitude, and attitude of the aircraft in a real time and accurately.

2. Radar & Maverick Video Mode


RMU maverick videos in PAL format.

3. Plug-and-play

RMU is designed based on available equipment in Hawk 100/200 aircraft. We identified critical measurement, connectors and available wiring on aircraft to omit other equipment modification.

4. Screen Adjustment

RMU is equipped with softkey that can be used for adjusting brightness level, contrast, and grid of the display for pilot convenience.





SPECIFICATIONS

Aircraft Type	
Туре	: Hawk 200
Physical Data	
Length Width Height Weight	: 318 mm : 163 mm : 180 mm : 4 kg
Display	
Screen Type Resolution Color Aspect Ratio Size	: LCD : 540 x 540 pixel : Green : 1:1 : 4.5"
Video Input	
Analog Input Levels Standard	: Composite, SDI and S-Video (Y/C) : 1.0Vp-p, 75 ohms : 625/50 (PAL)
Power	
Power Supply Power Consumption Current	: 28 VDC : 10 Watt : 0.4 A
Environment	
Temperature Vibration	: -20°C to +76°C (operation) : -20°C to +80°C (storage) : Up to 6g

OFFICE

Jl. Sriwijaya 36 Surabaya, Indonesia 60265.

Phone.: +62 31-5661802 / 5661803

Fax.: +62 31-5661990 Mobile : +62 852 3191 4282

E-mail: marketing@infoglobal.co.id

www.infoglobal.co.id